Kidney Patterns

A Meridian Based Perspective

Kidney Connections

PC/HT

_

SJ - KI - LI

UB

TCM Patterns

Primary Patterns

- Kidney qi deficiency
- Kidney yang deficiency
- Kidney qi not astringing
- Kidney yin deficiency
- Kidney essence deficiency

Complex Patterns

- Kidney and lung qi vacuity
- Kidney and lung yin vacuity
- Kidney & lung yang vacuity
- Kidney and lung defensive qi deficiency
- Kidney and spleen yang vacuity
- Kidney and liver yin vacuity
- Kidney & heart yang vacuity
- Kidney & heart yin vacuity with empty heat

Master Tung's Points

SJ Meridian

22.06 & 22.07

22.06 – Between the 4th and 5th metacarpals, 0.5 cun proximal to the metacarpal-phalangeal joint

22.07 – 1 cun proximal to 22.06

KI vacuity, back pain and sciatica due to renal disease or sciatica in the SY channel.

SI Meridian

22.08 and 22.09

22.08 – .5 cun proximal to SI 3

22.09 – 1 cun proximal to 22.08

Tai Yang sciatica, back pain, low back pain, nephritis, pain and stiffness in the knee on the UB channel, KI vacuity headaches.

Master Tung's Points

SP Meridian

- 77.17 (SP 9) Kidney organ disease
- 77.18 (Shen Guan) 1.5 cun below 77.17 Key point for strengthening the kidney. Used for kidney vacuity symptoms such as back pain, headaches, sciatica, urinary dysfunctions and kidney organ diseases.
- 77.19 (Di Huang) 7 cun above the medial malleolus (SP7) Treats all types of kidney, urinary, and reproductive conditions including nephritis, edema, urinary infections, premature ejaculation, hematuria, irregular menstruation, and more.
- 77.21(Ren Huang) 4 cun superior to the medial malleolus. Treats the same conditions as 77.18 and 77.19

Metal - Water Circuit

Shao Yin - Tai Yang Circuit

KI - UB

- -

LI - LU

KI - UB

- -

HT - SI

Uses: KI vacuity, KI qi not astringing, KI & LU patterns

Uses: KI yin or yang vacuity, KI and HT disharmony

Shao Yin – Shao Yang Circuit Shao Yin – SP/SJ Circuit

KI - HT

KI - HT

SJ - GB

SJ - SP

Patterns: KI yin or yang vacuity, empty heat, KI and HT disharmony

Uses: KI yin vacuity, KI yang vacuity, empty heat, KI an HT disharmony, essence and blood vacuity

Jue Yin - KI/LI Circuit

Modified Circuit

SJ

KI - PC

KI - PC

LI - LV

LI - LV

Uses: KI and LV yin vacuity, KI yin and yang vacuity, KI patterns that occur with liver blood vacuity

Use when LI symptoms are also present.

Uses: KI and LV yin vacuity, liver yang rising or liver wind with KI vacuity

*For yang rising with heat the SJ often replaces the LI

Yang Ming - KI/PC CIrcuit

Fire - Water Circuit

KI - PC

KI - PC

- -

- -

LI - ST

SJ

Uses: KI yin or KI yang vacuity affecting the yang ming, KI patterns that occur with blood vacuity and yang ming symptoms

Uses: KI yin vacuity, KI and heart yin vacuity with empty heat

Kidney Qi Vacuity

Metal - Water Circuit

Works with 5 – elements

Use with LU or LI symptoms

Effective for back pain, lung and urinary conditions

Yang Ming - KI/PC Circuit

Use with GI symptoms

Often used in menopause and mid-life aged clients

Shao Yin – Tai Yang Circuit

Fire – Water Disharmony

Back Pain

*Always keep in mind the clients top 3 health concerns.

Kidney Yang Vacuity

Metal - Water Circuit

Shao Yin - SP/SJ Circuit

KI - UB

KI - HT

- -

- -

LI - LU

SJ - SP

Ling Gu and Da Bai are powerful for increasing yang

Three Huangs – Tonify KI and SP yang

22.06 and 22.07 - renal disease and back pain, tonify the KI

Kidney Yang Vacuity



Kidney Yin Vacuity

Shao Yin - Shao Yang Circuit

For KI and HT Disharmony
Shao Yang Clears Heat
GB - Dai / Essence GB 39

Jue Yin - KI/LI Circuit

LV and PC important for yin Calms Shen Resolves Stagnation

Shao Yin - SP/SJ Circuit

SP and KI Tonify Yin SJ Clears Heat

Yang Ming - KI/PC Circuit

KI Yin Vacuity affecting LI or ST KI and Heart Disharmony

Metal - Water Circuit

For KI and LU Vacuity
5 - element cycle

KI Yin Vacuity KI/PC – Yang Ming Circuit

Case Study: Female, 52

- 1. Menopausal hot flashes
- 2. Constipation
- 3. Epigastric Pain
- 4. Carpal tunnel in area of PC 5– PC 7

*PC points needled on opposite side of carpal tunnel



KI and LU Patterns

Metal - Water Circuit

KI - UB

- -

LI - LU

May be used for qi, yin, or yang vacuity.

Points chosen should reflect each patients unique needs and top 3 concerns.

Use mirroring, imaging, point energetics, 5 – elements, or command points to determine what precise points to needle.

Herbs should often be used for these patterns.

KI and SP Yang Vacuity

One of the most important things in treating this pattern is to use the 3 Huangs since they treat both SP and KI vacuity.

Hand Yin Channels
LU – lung symptoms
PC or HT for heart symptoms

The other channels can be determined by the clients top 3 concerns.

Hand Yang

SJ - 22.06 and 22.07

LI - LK and DB

SI - 22.08 (SI3), 22.09

What leg yang channel would best serve their needs?
UB for KI conditions
ST for digestive patterns

What circuit is naturally formed from working with the clients top three concerns?

KI and SP Yang Vacuity Case Study

Male, 37 years old

- Constipation with low appetite and bloating
 ST SP
- 2. Depression and anxiety
- 3. Back Pain KI

Tongue: pale and puffy



KI and LV Yin Vacuity

Jue Yin - KI/PC Circuit

KI - LI

PC - LV

This circuit is often modified according to needs.

LI or SJ may be used.

GB as the foot yang channel.

Adding the ST channel creates the Yang Ming – KI/PC circuit.

Modified Jue Yin - Shao Yang

LV - GB

. .

PC - SJ

ΚI

Used for liver wind or liver yang rising with underlying KI and LV yin vacuity.

KI and HT Yang Vacuity

Shao Yin - Tai Yang

Use with UB and SI symptoms

Water Metabolism

Shao Yin – SP/SJ Circuit

3 Huangs for KI Yang Vacuity

SP points also benefit the HT

Shao Yin - Shao Yang

Use when the SJ and/or GB channels have symptoms.

Used for intensive neurological patterns.

In this pattern it is often best to substitute traditional KI points in favor of the 3 Huangs.

KI and HT Yin Vacuity

Any of the Shao Yin Circuits Shao Yin – Shao Yang

Shao Yin - Tai Yang

If tai yang channels are symptomatic

Shao Yin - SP/SJ

Works well when digestive, gynecological, or urinary symptoms occur.

When shao yang conditions present, also good for shen disturbance

Jue Yin - KI/LI Circuit

Use when KI, HT, and LV patterns are all present.

Case Study

Female, 42

Primary Concern: Urinary incontinence, frequent urination, UB infections – UB

Secondary Concern: Hemorrhoids - LI

Third Concern: Chronic cough from previous fever – LU

TCM Patterns: Damp Heat in UB, KI Yang Vacuity, Blood Stagnation



TCM Patterns and Circuits

- Kidney Yang Deficiency / Metal Water Circuit
- Kidney Qi Deficiency / Metal Water Circuit
- Kidney Yin Deficiency / Shao Yin Shao Yang, Shao Yin SP/SJ, Yang Ming – KI/PC Circuits
- Kidney Essence Deficiency / What circuit would you use to treat this zang-fu pattern?

TCM Patterns and Circuits

- Kidney and Lung Patterns / Metal Water Circuit
- Kidney and Spleen Yang Vacuity / Shao Yin SP/ SJ, Yang Ming – KI/PC Circuits
- Kidney and Liver Yin Vacuity / Jue Yin KI/LI Circuit
- Kidney & Heart Yang Vacuity / Shao Yin SP/SJ Circuit
- Kidney & Heart Yin Vacuity with Empty Heat Shao
 Yin SP/SJ Circuit